




LOTOTM

speakers designed for
today's outdoor living

version: 1.7




MADE IN ITALY



LOTO™
speakers designed for
today's outdoor living
version: 1.7

AUDIO
ESPERIENCE
SINCE 2005

MADE IN ITALY
3 + 1 + 1 YEAR
WARRANTY



AUDIO EXPERT
SINCE 2005

MADE IN ITALY INDIVIDUAL
PRODUCT
TESTING

SEMI-ANECHOIC CHAMBER
& ADVANCED
EQUIPMENT



SOUNDTRACK STARS
CAREER AWARD

**ENNIO
MORRICONE**

AUDIO TECHNICAL
PARTNER:
GARVAN ACOUSTIC

EN *Conceived to enrich the outdoor spaces, the LOTO collection by Garvan Acoustic® is a product of design which is also very resistant to external agents. The technology with acoustic lens diffuses an airy, 360° sound, for an excellence performance delivered by limited number of loudspeakers. With optimized fixing for pools and terraces, it is made of Corian, concrete, stoneware, or polyethylene.*

IT *Destinata ad impreziosire gli spazi esterni, la collezione LOTO di Garvan Acoustic® coniuga design e resistenza agli agenti atmosferici. La tecnologia a lente acustica regala un suono arioso a 360° garantendo la migliore performance col minimo dei diffusori. Con fissaggio ottimizzato anche per piscine e terrazzi, è realizzata in Corian, cemento, gres o polietilene.*

FR *Destinée à enrichir les espaces extérieurs, la collection LOTO de Garvan Acoustic® combine design et résistance aux intempéries. La technologie avec lentille acoustique offre un son aéré à 360°, pour une performance optimale avec un nombre réduit de haut-parleurs. Avec une fixation optimisée également pour les piscines et les terrasses, elle est réalisée en Corian, en béton, en grès ou en polyéthylène.*

DE *Die LOTO-Kollektion von Garvan Acoustic® ist dazu bestimmt, Außenbereiche zu verschönern und sie kombiniert Design und Witterungsbeständigkeit. Die Technologie mit akustischer Linse liefert einen 360° natürlichen Klang und gewährleistet die maximale Leistung mit der geringsten Nummer von Lautsprechern. Mit optimierter Befestigung auch für Schwimmbäder und Terrassen, hergestellt aus Corian, Beton, Steinzeug oder Polyethylen.*





Subwoofer:
WA138

H 66,0 cm
W 50,0 cm
D 50,0 cm



Subwoofer:
WA138

LOTO™


speakers designed for today's outdoor living



Speaker:
SN220B-W

H 62,5 cm
W 26,0 cm
D 26,0 cm







Speaker:
SN120EA

H 62,5 cm
W 26,0 cm
D 26,0 cm

CEMENT






Speaker:
SN120B-W

H 62,5 cm
W 26,0 cm
D 26,0 cm





Speaker:
SN116Z



- EN *The product's cabinet is made from exposed concrete, which has been formulated using a special mixture, giving the artefact a continuously unique and inimitable textured look. The material's formula is the result of an accurate selection of high-performing binding agents and natural connecting elements which are extracted from massive rock mines and then finely fractured and sifted through. The shaping process for the concrete material used for the manufacturing of the product uses only electricity from renewable sources.*
- IT *Il cabinet del prodotto è costituito da cemento a vista formulato con una speciale amalgama che conferisce al manufatto un aspetto materico sempre unico e irripetibile. La formulazione del materiale è frutto di una accurata selezione di leganti dalle alte prestazioni e di elementi aggregati naturali che vengono estratti da cave di rocce massive in seguito frantumati e vagliati finemente. Il processo di formatura dei conglomerati cementizi che compongono il prodotto sono stati ottenuti utilizzando esclusivamente energia elettrica ottenuta da fonti rinnovabili.*
- FR *Le boîtier du produit est fait de béton apparent, qui a été formulé à l'aide d'un mélange spécial donnant à l'artefact un aspect matiériste, unique et inimitable. La formule du matériau est le résultat d'une sélection précise de liants performants et d'éléments de liaison naturels qui sont extraits de mines de roches massives, puis finement fracturés et tamisés. Le processus de mise en forme du mélange de béton utilisé pour la fabrication du produit utilise uniquement de l'électricité provenant de sources renouvelables.*
- DE *Das Gehäuse des Produkts besteht aus Sichtbeton, der mit einer speziellen Mischung formuliert wurde. Diese verleiht dem Artefakt ein durchgehend einzigartiges und unnachahmliches materisches Aussehen. Die Formulierung des Materials ist das Ergebnis einer sorgfältigen Auswahl von Hochleistungsbindemitteln und natürlichen Verbindungselementen, die aus massiven Gesteinsvorkommen gewonnen und anschließend fein gebrochen und gesiebt werden. Für die Formgebung des Betonmaterials, das zur Herstellung des Produkts verwendet wird, wird ausschließlich Strom aus erneuerbaren Quellen verwendet.*



The passion of cement: building solid dreams.



OUTDOOR LIVING
SOUND
&
LIGHT

ESSENTIAL
DESIGN


ON TREND MATERIAL
SELECTION



Speaker:
SA117B

H 28,0 cm
W 28,0 cm
D 28,0 cm

ENHANCED
WITH
CORIAN®





Speaker:
SA117GG

H 28,0 cm
W 28,0 cm
D 28,0 cm

GRÈS WITH
MARBLE EFFECT




MARBLE GRÉS



GF



GG



GH






Speaker:
SA117Z

H 28,0 cm
W 28,0 cm
D 28,0 cm

ENHANCED
WITH
CORIAN®




CORTEN FINISHES





Speaker:
SA117GE





GRÈS



ENHANCED
WITH CORIAN®

Speaker:
SN117B







Speaker:
SA225B

H 56,0 cm
W 28,0 cm
D 28,0 cm

ENHANCED
WITH
CORIAN®



OUTDOOR 360° LOUDSPEAKERS



Polyethylene Cement

SN120 Full-Range

Type Pneumatic suspension
Loudspeaker Ø (cm) 1 x 20,0
Power RMS/MAX (W) 120 / 240
Dimensions H x W x D (cm)
62,5 x 26,0 x 26,0
Nominal impedance (Ω) 8

Audio	Audio + white led	Audio + RGB led
Polyethylene	Polyethylene	Polyethylene
● SN120V	● SN120V-W	● SN120V-R
● SN120Y	● SN120Y-W	● SN120Y-R
● SN120A	● SN120A-W	● SN120A-R
○ SN120B	○ SN120B-W	○ SN120B-R
● SN120Z	● SN120Z-W	● SN120Z-R
Cement	Cement	Cement
● SN120EA	● SN120EA-W	● SN120EA-R



Polyethylene Cement

SN220 2-Way

Type Pneumatic suspension
Loudspeaker Ø (cm) 1 x 20,0
Power RMS/MAX (W) 200 / 400
Dimensions H x W x D (cm)
62,5 x 26,0 x 26,0
Nominal impedance (Ω) 8

Audio	Audio + white led	Audio + RGB led
Polyethylene	Polyethylene	Polyethylene
● SN220V	● SN220V-W	● SN220V-R
● SN220Y	● SN220Y-W	● SN220Y-R
● SN220A	● SN220A-W	● SN220A-R
○ SN220B	○ SN220B-W	○ SN220B-R
● SN220Z	● SN220Z-W	● SN220Z-R
Cement	Cement	Cement
● SN220EA	● SN220EA-W	● SN220EA-R




Polyethylene Cement

WN120 Subwoofer

Type Pneumatic suspension
Loudspeaker Ø (cm) 1 x 20,0
Power RMS/MAX (W) 200 / 400
Dimensions H x W x D (cm)
62,5 x 26,0 x 26,0
Nominal impedance (Ω) 8

Audio	Audio + white led	Audio + RGB led
Polyethylene	Polyethylene	Polyethylene
● WN120V	● WN120V-W	● WN120V-R
● WN120Y	● WN120Y-W	● WN120Y-R
● WN120A	● WN120A-W	● WN120A-R
○ WN120B	○ WN120B-W	○ WN120B-R
● WN120Z	● WN120Z-W	● WN120Z-R
Cement	Cement	Cement
● WN120EA	● WN120EA-W	● WN120EA-R

Polyethylene Finishes



Cement Finishes



Diffusori per esterni 360° - Enceintes d'extérieur 360° - Lautsprecher für Außenbereiche (360°)



Polyethylene

SN116 Full-Range

Type Pneumatic suspension
Loudspeaker Ø (cm) 1 x 13,0
Power RMS/MAX (W) 50 / 100
Dimensions H x W x D (cm)
40,0 x 26,0 x 26,0
Nominal impedance (Ω) 8

Audio	Audio + white led	Audio + RGB led
Polyethylene	Polyethylene	Polyethylene
● SN116V	● SN116V-W	● SN116V-R
● SN116Y	● SN116Y-W	● SN116Y-R
● SN116A	● SN116A-W	● SN116A-R
○ SN116B	○ SN116B-W	○ SN116B-R
● SN116Z	● SN116Z-W	● SN116Z-R



Corian®

SN117 Full-Range

Type Bass reflex
Loudspeaker Ø (cm) 13,0
Power RMS/MAX (W) 50 / 100
Dimensions H x W x D (cm)
28,0 x 28,0 x 28,0
Nominal impedance (Ω) 8

Corian®
● SN117V
● SN117Y
○ SN117B
● SN117Z
● SN117C



Corian®

Grès

SA117 Full-Range

Type Bass reflex
Loudspeaker Ø (cm) 13,0
Power RMS/MAX (W) 50 / 100
Dimensions H x W x D (cm)
28,0 x 28,0 x 28,0
Nominal impedance (Ω) 8

Corian®
● SA117V
● SA117Y
○ SA117B
● SA117Z
● SA117C

Grès
● SA117GA
● SA117GB
● SA117GC
● SA117GD
● SA117GE

Marble Grès
● SA117GF
● SA117GG
● SA117GH


Corian® Finishes



Grès Finishes



Marble Grès



OUTDOOR 360° LOUDSPEAKERS



Corian®



Grès

SA225 2-Way

Type Bass reflex
Loudspeaker Ø (cm) 25,0
Power RMS/MAX (W) 280 / 560
Dimensions H x W x D (cm)
56,0 x 28,0 x 28,0
Nominal impedance (Ω) 8

- Corian®

 - SA225V
 - SA225Y
 - SA225B
 - SA225Z
 - SA225C
- Grès

 - SA225GA
 - SA225GB
 - SA225GC
 - SA225GD
 - SA225GE
- Marble Grès

 - SA225GF
 - SA225GG
 - SA225GH



Corian®



Grès

WA125 Subwoofer

Type Bass reflex
Loudspeaker Ø (cm) 25,0
Power RMS/MAX (W) 300 / 600
Dimensions H x W x D (cm)
56,0 x 28,0 x 28,0
Nominal impedance (Ω) 4

- Corian®

 - WA125V
 - WA125Y
 - WA125B
 - WA125Z
 - WA125C
- Grès

 - WA125GA
 - WA125GB
 - WA125GC
 - WA125GD
 - WA125GE
- Marble Grès

 - WA125GF
 - WA125GG
 - WA125GH



Corian® / HPL

WA138 Subwoofer

Type Bass reflex
Loudspeaker Ø (cm) 38,0
Power RMS/MAX (W) 1200 / 2400
Dimensions H x W x D (cm)
66,0 x 50,0 x 50,0
Nominal impedance (Ω) 4

- Corian®

 - WA138B
- HPL

 - WA138H32
 - WA138H33
 - WA138H31

Corian® Finishes

Green

Gray

Corian® White

Corten Effect

Custom RAL Colours

Grès Finishes

Ivory

Rope

Mud

Gray

Graphite

Marble Grès

Marble GF

Marble GG

Marble GH

HPL Finishes

Gray

Anthracite

Corten

Diffusori per esterni 360° - Enceintes d'extérieur 360° - Lautsprecher für Außenbereiche (360°)

Accessories						
TRT055 Line Transformer 50W (Outdoor use)	Name	Nominal power Input voltage	Frequency response	Output power on 8 Ω	Dimensions H x W x D	Weight
	G-Former™ Toroidal	50 W 70 / 100 V	40 - 21KHz	50,0-37,5-25,0 W	3,8 x 8,0 x 8,0 cm	0,50 Kg
TRT101 Line Transformer 100W (Outdoor use)	Name	Nominal power Input voltage	Frequency response	Output power on 8 / 4 Ω	Dimensions H x W x D	Weight
	G-Former™ Toroidal	100 W / 100 V	40 - 21KHz	100,0 W	4,7 x 10,5 x 10,5 cm	1,37 Kg
Waterproof 2-pin connector (Outdoor use)	Cable diameter	Cable section	IP Protection	Dimensions H x W x D	Weight	
	Min. outer cable diameter: 3.5 mm Max. outer cable diameter: 10 mm	Maximum cable cross-section: 2 x 2.5 mm²	68	2,5 x 8,5 x 2,5 cm	0,03 Kg	
Cover	Name	Model Speaker		Dimensions H x W x D (cm)	Code	
	1 - Protective Cover	SN120 - SN220 - WN120		65,0 x 28,0 x 28,0	RT001A	
		SN116		42,0 x 28,0 x 28,0	RT002A	
		SN117		30,0 x 30,0 x 30,0	RT003A	
		SA117		30,0 x 30,0 x 30,0	RT004A	
		SA225 - WA125		58,0 x 30,0 x 30,0	RT005A	
	2 - Protective Plate	SN120 - SN220 - WN120 SN116 - SN117 - SA117 SA225 - WA125		46,0 x 46,0 x 1,5	● HA046H black ● HA046X satin stainless steel	
	3 - Ground anti-theft kit	SN120 - SN220 - WN120 SN116 - SN117 - SA117 SA225 - WA125		33,0 x 15,0 x 10,0	HRX031	

Garvan Acoustic S.R.L. owns the Garvan Acoustic Wellness brand and all the models in this catalogue. Garvan Acoustic S.R.L. reserves the right to make technical and dimensional changes and to introduce improvements that could change the aesthetics of the products in this catalogue. The printed colour references are not binding.

Garvan Acoustic S.R.L. è proprietaria del marchio Garvan Acoustic Wellness e di tutti i modelli presenti all' interno del catalogo. Garvan Acoustic S.R.L. si riserva il diritto di apportare modifiche tecniche, dimensionali e di introdurre miglioramenti che potrebbero cambiare l'estetica dei prodotti presentati in catalogo. I riferimenti colore stampati non sono vincolanti.

Garvan Acoustic S.R.L. est propriétaire de la marque Garvan Acoustic Wellness et de tous les modèles présentés dans ce catalogue. Garvan Acoustic S.R.L. se réserve le droit de procéder à des modifications techniques et dimensionnelles et d'introduire des améliorations susceptibles de modifier l'esthétique des produits présentés dans ce catalogue. Les références de couleurs imprimées ne sont pas contractuelles.

Garvan Acoustic S.R.L. besitzt die Marke Garvan Acoustic Wellness und alle im Katalog vorgestellten Produkte. Garvan Acoustic S.R.L. behält sich das Recht vor, technische und maßliche Änderungen sowie Verbesserungen vorzunehmen, die die Ästhetik der im Katalog vorgestellten Produkte verändern könnten. Die aufgedruckten Farbangaben sind unverbindlich.



MADE IN ITALY

3+1+1 YEAR WARRANTY

Via Vittori, 21/1-2
48018 Faenza (Ra) Italy
Tel. +39 (0546) 682097
garvan@garvanacoustic.com

Follow us on:



www.garvanacoustic.com



MADE IN ITALY

3+1+1 YEAR WARRANTY

Via Vittori, 21/1-2
48018 Faenza (Ra) Italy
Tel. +39 (0546) 682097
garvan@garvanacoustic.com

Follow us on:



www.garvanacoustic.com